SUBJECT INDEX

Allochaetophora 371
  californica 371
Ants, worker castes 203
Apiocarpella *agropyri* 639
Arkansas, fishes 76
Ascochyta *equiseti* 639

Beckmania erucaeformis, record 760
Bembecinus, N. A. spp. 699
  bishoppi 710
  nanus *floridanus* 706
    strenuus 707
  wheeleri 709
Book Reviews 252, 509, 761

Chiapas flora 513
Chiggers, N. A. 153
Colletotrichum *hysteriiformis* 641
  prunicolum 640
Crawfishes, utilization 643
  Cambarellus, spp. La. 421
Cylindrosporium *vagnerae* 641

Dermestes ater, oviposition 427
Diplopoda, gonopods 198
Dolphin, striped 750

Eciton, worker castes 203
Eutetranychus *clarki* 270
  mexicanus 271
  rusti 269
  spinosa 268

Fishes, Illinois River 76
Flora, Chiapas 513
Florida, Habenaria spp. 622
Frogs and toads, Ky. 759
Fungi, Wisconsin 630

Habenaria, Florida 622
Hardwoods, poisoning 495
Heterosporium *equiseti* 642
Horned toads, behavior 720
Hystrichonychus 272
  gracilipes 272

Illinois, Isoetes melanopoda 251
  Notes on flora 617
Insects, White Sands monument 659
Isoetes melanopoda, records 251

Kentucky, frogs and toads 759

Lagenorhynchus obliquidens 750
Louisiana, Cambarellus spp. 421

Maine, muskrat parasites 467
Mariscal, flora 513
Magalonyx *brachycepahalus* 223
Mexico, Chiapas flora 513
Mississippi River mussels 438
Mites, tetranychid 257
Mosquitoes, chaetotaxy 678
Mussels, Mississippi River 448

Neotetranychus *virginiensis* 275
Neotrombicula, N. A. spp. 153
New Mexico, insects 659
Nomenclature, mosquito larvae 678
Notes on flora 617

Oklahoma, dam vegetation 69
  fishes 76

Parasites, fungi 630
  muskrat 467
Paratetranychus *coniferarum* 338
  gramineus 339
  hawaiiensis 340
  insularis 341
  major 343
  milleri 343
  newcomeri 345
  platani 349
  pritchardi 350
  subnudus 354
  uniunguis 356
Peltigera, N. A. spp. 1
  malacea *prolifera* 39
  membranacea *prolifera* 65
  scabrosa *regenerans* 23
Phyllotaxy 506
Plumatella repens, des. 205
Plume poppy, record 760
Poisoning hardwoods 495
Precipitation, seasonal distribution 478
Pseudobryobia 366
  bakeri 366
  drummondi 368

Ramularia *wisconsina* 641
Range improvement 495

NOTE—Names of new genera, species, etc. indicated by italics.

Schizotetranychus *celarius* 308
cercocarpi 308
cynodonis 309
elymus 310
eremophilus 311
floridensis 312
Septanychus *braziliensis* 318
canadensis 319
cocosi 320
deserticola 321
deviatarsus 322
mexicanus 323
texazona 328
Septoria *inclusa* 640
Sharks, attacks on man 714
Gulf of Mexico 96
Simplinychus 274
huxi 274
Soconusco, flora 513
Stagonospora *celtidis* 639
Striped dolphin 750

Temperatures and precipitation 478
Tetranychidae spp. 257
Tetranychina *harti* 363
lupina 362
Tetranychus *caribbeanae* 283
deflexus 284
equitorius 285
hicoriae 287
malvastris 290
marianae 291
multisetis 294
perplexus 298
pierci 299
planki 300
thujae 303
Texas, Charles Wright's trip..... 488
fossil vertebrates 211
sharks 96
Towhee, development 742
growth 742
Trinity River Terraces, fauna..... 211
Trombicula(Neotrombicula), N. A. spp. 153
alaskansis 178
browni 178
carterae 184
dinehartae 179
eusignata 161
farelli 185
goodpasteri 180
jewetti 182
lipovskyi 177
richmondi 183
subsignata 159
sylvilagi 186
varians 188
waynensis 188
Tuckerella *pavoniformis* 368

Wisconsin, fungi 630

Science
sept

ERRATA

P. 153, in contents: read "Neotrombicula" instead of Noetrombicula".

P. 156, Key to groups, couplet 3, line 1: read "three mastitarsalae" instead of "three mastifemorale III".

P. 156, par. 4, lines 2 and 3. Delete "3 plumose setae on the distal margin of telofemur III".

Pp. 163, 189: transpose figures but not legends.

P. 330, couplet 10, line 3, read: "22" instead of "21".
couplet 18, line 1, insert "typically" after female; line 3, insert "conspicuously" before thick and "typically" after female.

P. 331, couplet 19, line 1, insert "prominent" before tubercles; delete following phrase up to but not including "ilicis (McGregor)"; line 3, insert "prominent" before tubercles; delete following phrase up to but not including "20".

Replace the remainder of the key beginning with couplet 20 with the following:

20. Palp-tarsus of female with length and thickness subequal, and with third dorsal seta from its tip widely spaced distad from dorsal sensilla; ventral spines of tarsal claw (female) not much exceeding tip of claw.....*platani*, new species.

Palp-tarsus (female) distinctly thicker than long, its third dorsal seta from tip not widely spaced from dorsal sensilla; ventral spines of tarsal claw well surpassing tip of claw.....21

21. Shaft of aedeagus in profile tapering evenly to the hook; shaft and hook with dorso-caudal outline forming an even curvature.....*viridis* (Banks)

Shaft of aedeagus equally thick its entire length, strongly concave mid-dorsally, with a distinct swelling at point of origin of hook.....*newcomeri*, new species

22. Dorsal body setae mostly shorter than interval to base of seta next behind; claw (female) with ventral spines less than half as long as portion of claw beyond their bases; dorsal sensilla at dorso-distal angle of palp-tarsus; hook of aedeagus much less than half as long as shaft.....*peruvianus* (McGregor)

Dorsal body setae longer than interval to base of seta next behind; tarsal claw (female) with ventral spines fully half as long as portion of claw beyond their bases; dorsal sensilla near mid-dorsal face of palp-tarsus; hook of aedeagus more than half as long as shaft.....*bicolor* (Banks)

P. 349, line 25: read "typically with 4" instead of "4 or 5"; line 27: read "8" instead of "6"; line 29: read "4" instead of "3".

P. 411, Plate XXXVIII, fig. 13, add two ventral spines to claw, thus making a total of eight such spines.

P. 447, replace running head to read "Roth et al. : Oviposition of Dermestes ater."

P. 471, under "Trematoda" line 29: read "(Cort, 1914)" instead of "(Cort, 1915)".

P. 596, transfer Gomphrena spp. to Amaranthaceae on p. 526.